

PowerSpin™ FX Centrifuge

Product Images





Short Description

- 1. PowerSpin™ FX CENTRIFUGE
- 2. FIXED SPEED 3400 RPM
- 3. 6 PLACE FIXED ANGLE ROTOR
- 4. 30 MIN. MECHANICAL TIMER
- 5. 6X10ML OR 3X15ML CAPACITY
- 6. POWER INPUT 110V

Description

UNICO® PowerSpin™ Series centrifuges are compact, economical and quiet. We offer both fixed (FX) and variable (LX) speed models with fixed angle rotors, for 6 or 8 tubes to spin 8–15 ml tubes. By using adapters, you can also spin tubes ranging from 2 – 7 ml. An optional Tube Holdster™ allows you to have up to 18 tubes or adapters at your fingertips, side-mounted on the centrifuge. PowerSpins are pre-drilled/tapped to accept optional Tube Holdsters.

Additional Information

Accessories	Header C800-00 C800-01 C800-75 C800-02 C800-03 C800-04 C800-05	Tape, B Regular Adapter Pediatri Tube Lif	Rotor Rotor neter, Laser Digital with Reflective atteries, In A Storage Case tube shield, pack of 2 r for short tubes, pack of 10 ic or microtube adapter, pack of 2 ft Adapters, Pk/12
	C800-12 Number of		Tube Holdster
Specification	Tube Capa Blood Specimens Urine Microhema Speed Rotor Maximum Maximum	Fecal atocrit	2-15 ml Yes Not recomended Not recomended Not recomended Fixed Fixed Fixed Angle 3400 1320
Size and Weight	Size Shipping Size Weight Shipping Weight		10.2 in x 11.8 in x 7.9 in 13.4 in x 14.8 in x 10.6 in 13 lbs 15 lbs