



Revertidine™

ANADA 200-624

Atipamezole hydrochloride injection - 5 mg/mL

Effective Dexmedetomidine & Medetomidine Reversal Agent for Dogs

Revertidine™ is indicated for the reversal of the clinical effects of the sedative and analgesic agents, dexmedetomidine hydrochloride and medetomidine hydrochloride, in dogs.

Dosage and Administration:

Revertidine™ is administered intramuscularly (IM) for reversal of sedation and analgesia regardless of the route used for dexmedetomidine or medetomidine. The atipamezole dose for the reversal of IV dexmedetomidine or medetomidine is 3750 mcg/m². The atipamezole dose for the reversal of IM dexmedetomidine or medetomidine is 5000 mcg/m².



PENN
Veterinary Supply, Inc.

Phone - 800.233.0210 www.pennvet.com

See package insert for full information on side effects, precautions, warnings, storage, and contraindications.

Storage: Store between 20-25°C (68-77°F) with excursion permitted between 15-30°C (59-86°F).

14343 SW 119th Ave. | Miami, Florida 33186 - USA | Tel: +1 407 852 8039 | Fax: +1 305 503 8585
info@modernveterinarytherapeutics.com | www.ModernVeterinaryTherapeutics.com

www.facebook.com/modernveterinarytherapeutics

FOLLOW US ON
twitter

@Modern_Vet

Modern Veterinary Therapeutics