# BRAVECTO®





**Discover how the BRAVECTO<sup>®</sup> parasiticide portfolio can** benefit your clinic, your clients, and your patients' lives.

# **DESIGNED FOR**

## **PETS & THEIR OWNERS**



Helping your clients get it right has gotten easier. BRAVECTO<sup>®</sup> offers long-lasting, fast-acting protection that ensures convenience and compliance. Why? Because it's for life.

For the first time ever BRAVECTO is able to offer flea and tick protection for both dogs and puppies.

With BRAVECTO® Topical Solution and BRAVECTO® PLUS, compliance is made easy. Thanks to its extended duration, feline patients require fewer doses and experience less stress.









(fluralaner and moxidectin topical solution) for Cats

### **Discover the benefits** of **BRAVECTO.**



# UPPIE

\*For use in puppies 8 weeks of age and older, and 4.4 pounds or greater.



BODY

**BRAVECTO 1-MONTH** Chews are for dogs 8 weeks of age and older. Side effects may include itching, diarrhea, vomiting, decreased appetite, elevated ALT, lethargy, and weight loss. Fluralaner is a member of the isoxazoline class. This class has been associated with neurologic adverse reactions including tremors, ataxia, and seizures. Seizures have been reported in dogs receiving isoxazoline class drugs, even in dogs without a history of seizures. Use with caution in dogs with a history of seizures or neurologic disorders. BRAVECTO 1-MONTH Chews are not effective against A. americanum in puppies less than 6 months of age. For full prescribing information, see insert in pocket.

#### **Introducing BRAVECTO® 1-MONTH Chews**—essential flea and tick protection for puppies 8 weeks of age and older, and weighing 4.4 lbs or greater.



#### Available in 4 different doses to meet the needs of puppies of all sizes

4.4-9.9 45
>9.9-22.0 100
22.0-44.0 200
44.0-88.0 400

#### **Start and stay with BRAVECTO**

Once puppies reach 6 months of age, they can transition to extended-duration BRAVECTO® Chews.



#### **IMPORTANT SAFETY INFORMATION:**





# **DESIGNED FOR 12-WEEK** PROTECTION.

**DESIGNED FOR THEM.** 



#### **IMPORTANT SAFETY INFORMATION:**

### IT'S FOR LIFE . . . . . . . . . . . . . . . . . .

#### With BRAVECTO Chews, protection is made easy, -12-week\* flea and tick coverage in a single dose.<sup>1</sup>

Prescribe BRAVECTO Chews depending on patient's weight

#### One chew per weight band.

EIGHT RANGES (Ib)	FLURALANER CONTENT (mg)
4.4-9.9	112.5
9.9-22.0	250
22.0-44.0	500
44.0-88.0	1000
88.0 <b>-123</b> .0†	1400

\*BRAVECTO kills fleas, prevents flea infestations, and kills ticks (black-legged tick, American dog tick, and brown dog tick) for 12 weeks. BRAVECTO also kills lone star ticks for 8 weeks.

Dogs over 123 lbs, should be administered the appropriate combination of chews



The most commonly reported adverse reactions include vomiting, decreased appetite, diarrhea, lethargy, polydipsia, and flatulence. **BRAVECTO Chews** for Dogs have not been shown to be effective for 12-weeks' duration in puppies less than 6 months of age. BRAVECTO Chews are not effective against lone star ticks beyond 8 weeks of dosing. Fluralaner is a member of the isoxazoline class. This class has been associated with neurologic adverse reactions including tremors, ataxia, and seizures. Seizures have been reported in dogs receiving isoxazoline class drugs, even in dogs without a history of seizures. Use with caution in dogs with a history of seizures or neurologic disorders. For full prescribing information, see insert in pocket.

 $\overline{\mathbf{V}}$  ..... . . . . . .

Shown to achieve significantly more **MONTHS** of PROTECTION

in a year than other 1-month flea and tick products.<sup>2</sup>



(fluralaner and moxidectin topical solution) for Cats

## **DESIGNED FOR THEM.**



ne application/tube per weight band			
BODY WEIGHT RANGES (Ib)	FLURALANER CONTENT (mg/tube)	MOXIDECTIN CONTENT (mg/tube)	
2.6-6.2	112.5	5.6	
>6.2-13.8	250	12.5	
>13.8-27.5	500	25	

The most commonly reported adverse reactions include vomiting, hair loss, itching, diarrhea, lethargy, dry skin, elevated ALT, and hypersalivation. **BRAVECTO PLUS** has not been shown to be effective for 2 months in kittens less than 6 months of age. For topical use only. Avoid oral ingestion. The safety of **BRAVECTO PLUS** has not been established in breeding, pregnant and lactating cats. Fluralaner is a member of the isoxazoline class. This class has been associated with neurologic adverse reactions including tremors, ataxia, and seizures. Neurologic adverse reactions have been reported in cats receiving isoxazoline class drugs, even in cats without a history of neurologic disorders. Use with caution in cats with a history of neurologic disorders. Use with caution in cats that are heartworm positive. The effectiveness of **BRAVECTO PLUS** to prevent heartworm disease after bathing or water immersion has not be evaluated. For full prescribing information, see insert in pocket.



## IT'S FOR LIFE . . . . . . . . . . . . . . . . . .

#### With BRAVECTO PLUS, compliance is made easy. Thanks to its extended duration, feline patients require fewer doses and experience less stress.

BRAVECTO PLUS is a safe and effective topical solution for cats and kittens at least 6 months old and weighing at least 2.6 pounds.<sup>4</sup>



#### **IMPORTANT SAFETY INFORMATION:**

## BRAVECTO FOR DOGS





#### **BRAVECTO 1-MONTH**

**CHEWS** provide essential flea and tick protection for puppies 8 weeks of age and older, and weighing 4.4 lbs or greater.

100% effectiveness against fleas for 30 days.<sup>5</sup> >97.5% effectiveness against ticks for 30 days.<sup>5</sup>







#### **BRAVECTO CHEWS** provide

12 weeks\* of protection against fleas and ticks in a single dose.<sup>1</sup>

\*BRAVECTO Chews for Dogs kills fleas, prevents flea infestations, and kills ticks (black-legged tick, American dog tick, and brown dog tick) for 12 weeks. BRAVECTO Chews also kills lone star ticks for 8 weeks.



#### **BRAVECTO TOPICAL SOLUTION** protects dogs nearly 3 times longer than any monthly treatment.<sup>6</sup>

12 weeks of flea and tick protection in a single dose.<sup>6</sup>









## BRAVECTO FOR CATS

monthly products.<sup>4</sup>



BRAVECTO°

PLUS

. . . . . . . . . . . . . . . . . . . .

(fluralaner and moxidectin topical solution) for Cats

**BRAVECTO PLUS** provides cats with broad-spectrum protection that lasts twice as long as other

2-month flea and tick protection.<sup>4</sup> 2-month heartworm disease and

intestinal parasite protection.<sup>4</sup>



**BRAVECTO TOPICAL SOLUTION** protects cats nearly 3 times longer than any monthly treatment.7

12 weeks of flea and tick protection in a single dose.<sup>7</sup>



vailable in **3 strengths** 



>13.8-27.5 lbs

>6 2-13 8 lbs

vailable ir **3 strengths** 

#### A FRIENDLY REMINDER

Help your clients remember their pet's next dose with an easy-to-use dosing calendar.

Download it at us.bravecto.com or scan this code.





To find out how to incorporate the BRAVECTO parasiticide portfolio into your practice, contact your Merck Animal Health sales representative.



Scan this code or visit merck-animal-health-usa.com/bravecto

References: 1. BRAVECTO<sup>®</sup> Chews [product label], Madison, NJ: Merck Animal Health; 2019. 2. Lavan R, Armstrong R, Tunceli K, et al. Dog owner flea/tick medication purchases in the USA. *Parasit Vectors*. 2018;11:581. 3. Taenzler J, Wengenmayer C, Williams H, et al. Onset of activity of fluralaner (BRAVECTO<sup>™</sup>) against *Ctenocephalides felis* on dogs. *Parasit Vectors*. 2014;7:567. 4. BRAVECTO<sup>®</sup> PLUS [product label]. Madison, NJ: Merck Animal Health; 2019. 5. BRAVECTO<sup>®</sup> 1-MONTH Chews [product label], Madison, NJ: Merck Animal Health; 2020. 6. BRAVECTO<sup>®</sup> Topical Solution for Dogs [product label], Madison, NJ: Merck Animal Health; 2019. 7. BRAVECTO<sup>®</sup> Topical Solution for Cats [product label], Madison, NJ: Merck Animal Health; 2019.

POCKET FOR Pls



Copyright © 2020 Intervet Inc., d/b/a Merck Animal Health, a subsidiary of Merck & Co., Inc. All rights reserved. US-BRV-201100010 243595

**BRAVECTO**®

II 'S FUK