## INTRODUCING

# SolutionKits

Convenience, Compliance, Complete SolutionKits

Enrofloxacin Powder

SolutionKits Enrofloxacin 125mg/ml

SolutionKits Suspension Vehicle for Compounding of SolutionKits Oral Suspension

SolutionKits

FOR VETERINARY COMPOUNDING ONLY

Improve patient outcomes with same-day dosing and palatability. SolutionKits give veterinarians everything they need to compound prescriptions quickly and accurately. Each kit is made in an FDA-registered facility, and contains two pre-measured, and ready to mix components.

**RX ONLY** 

NDC 46144-605-01



**SolutionKits** 

**Enrofloxacin** 

Enrofloxacin 125 mg/mL in SolutionKits<sup>™</sup> Suspension Vehicle

# FOR VETERINARY COMPOUNDING ONLY EACH KIT INCLUDES:

- 1 bottle containing Enrofloxacin Powder equivalent to 59.375g Enrofloxacin USP Powder for Oral Suspension
- 1 bottle containing 440 mL SolutionKits "Suspension Vehicle provided as a suspending agent for compounding (Contains Artificial Sweet Flavoring)
- This kit contains 1 funnel



LOT # U210507-2 EXP 06-05-2025

16.1 FL OZ (475 mL) as dispensed

A. P. I.

Pre-measured bottles ensure that final product is mixed correctly Highly palatable sweet flavor that increases compliance No refrigeration required

2 year dating with 180-day shelf life after mixing Available in Enrofloxacin, Metronidazole, Doxycycline, & Gabapentin

# Easy to store. Easy to mix. Easy to deliver.

Specifically formulated for veterinary use



SolutionKits™

#### **Enrofloxacin**

475 mL 125mg/mL

- Contains Enrofloxacin USP Powder and SolutionKits Sweet Flavored Suspension Vehicle
- NDC # 46144-605-01



SolutionKits™

#### Metronidazole

460 mL 50mg/mL

- Contains Metronidazole USP Powder and SolutionKits Chicken Marshmallow Suspension Vehicle
- NDC # 46144-602-01



SolutionKits™

# **Doxycycline**

460 mL 50mg/mL

- Contains Doxycycline USP Powder and SolutionKits Chicken Marshmallow Suspension Vehicle
- NDC # 46144-604-01

### Mixing Instructions



- Tap the powder bottle on a hard surface to loosen the powder. Do not shake.
- Shake the suspension vehicle for 5 seconds.





- Pour half the suspension vehicle into the powder bottle using the included funnel.
- Shake vigorously for 60 seconds.
- Pour the rest of the suspension vehicle into the powder bottle.
   Allow to drain for a least 10 seconds.



- Shake for another 60 seconds.
- Record compounding date on bottle.
- Dispense into a prescription bottle.