

INTRODUCING

1 monorman **Meloxidyl**[®] (meloxicam) Injection 5 mg/mL

the Newest Addition to Ceva's High-Quality Pain and Mobility Portfolio



- Non-steroidal anti-inflammatory drug for use in dogs and cats
- Controls osteoarthritis (OA) pain and inflammation in dogs
- Controls postoperative pain and inflammation in cats associated with orthopedic surgery, ovariohysterectomy, and castration
- High quality at a low cost

Meloxidyl[®] (meloxicam) Injection for Dogs

Indications

Meloxidyl® (meloxicam) Injection 5 mg/mL is indicated in dogs for the control of pain and inflammation associated with osteoarthritis.

Meloxidyl[®] (meloxicam) Injection for Cats

Indications

Meloxidyl® (meloxicam) Injection 5 mg/mL is indicated in cats for the control of postoperative pain and inflammation associated with orthopedic surgery, ovariohysterectomy, and castration when administered prior to surgery.

| Brand & Size | Product Number | |
|--|----------------|--|
| Meloxidyl [®] (meloxicam) Injection 10mL Vial | D65210I | |
| Meloxidyl® (meloxicam) Injection 20mL Vial | D65220B | |



Scan here for package insert

Important Safety Information:

Repeated use of meloxicam in cats has been associated with acute renal failure and death. Do not administer a second dose of meloxicam in cats. Do not follow meloxicam dose with any other NSAID in cats. As a class, cyclo-oygenase inhibitory NSAIDs may be associated with gastrointestinal, kidney, or liver side effects. The most common side effects reported in field studies were vomiting and soft stool/diarrhea. These are usually mild, but may be serious. If side effects occur, pet owners should contact their veterinarian. Pets should be evaluated for pre-existing conditions and currently prescribed medications prior to treatment with MELOXIDYL, then monitored regularly while on treatment. Concurrent use with another NSAID, corticosteroid, or nephrotoxic medication should be avoided. The safe use of MELOXIDYL in dogs younger than 6 months of age, dogs used for breeding, or in pregnant or lactating bitches has not been evaluated. The safe use of MELOXIDYL 5 mg/mL Solution for Injection in cats younger than 4 months of age, cats use for breeding, or in pregnant or lactating queens has not been evaluated. Please refer to the package insert for complete product information.

